



Food and Drug Administration  
9200 Corporate Boulevard  
Rockville MD 20850

AUG 12 2002

Regulatory Insight, Inc.  
c/o Kevin Walls, RAC  
13 Red Fox Lane  
Littleton, CO 80127

Re: K021720

Trade/Device Name: MULTIVISION (methafilcon A) Soft (hydrophilic) Multifocal  
Contact Lens for Daily Wear.

Regulation Number: 21 CFR 886.5925

Regulation Name: Soft (hydrophilic) contact lens.

Regulatory Class: Class II

Product Code: LPL

Dated: May 23, 2002

Received: May 24, 2002

Dear Mr. Walls:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 21 CFR Part 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4613. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address.  
<http://www.fda.gov/cdrh/dsma/dsmamain.html>

Sincerely yours,

A handwritten signature in black ink that reads "A. Ralph Rosenthal". The signature is written in a cursive style with a large, stylized initial "A".

A. Ralph Rosenthal, M.D.  
Director  
Division of Ophthalmic and Ear,  
Nose and Throat Devices  
Office of Device Evaluation  
Center for Devices and  
Radiological Health

Page 1 of 1


510(k) Number (if known): K021720

Device Name: MULTIVISION (methafilcon A) Soft (hydrophilic) Multifocal Contact Lens for Daily Wear

**Indications for Use:** The MULTIVISION (methafilcon A) Soft (hydrophilic) Multifocal Contact Lens for Daily Wear is indicated for daily wear for the correction of refractive ametropia (myopia and hyperopia) and presbyopia in aphakic and not-aphakic persons with non-diseased eyes that may exhibit refractive and/or corneal astigmatism up to 0.75 diopters. The lens may be disinfected using a chemical disinfection system.

PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON ANOTHER PAGE IF NEEDED

Concurrence of CDRH, Office of Device Evaluation (ODE)

(Division Sign-Off)  
Division of Ophthalmic Devices510(k) Number K021720Prescription Use X  
(Per 21 CFR 801.109)

OR

Over-The-Counter Use \_\_\_\_\_  
(Optional Format 1-2-96)